




Duplo-Dinamico

Designed in 1963

shown in Bronze with wood blades

	Safety cage equipped
	Suitable for Damp** Location
	U.S.A. Components and Labor







shown in Polished Chrome with metal blades and decorative cage







Few designs can match the timeless and sophisticated aesthetic of the Duplo-Dinamico rotational ceiling fan. Other manufacturers have tried to reproduce this unique design, though all have proven to be of lesser quality and durability. The motor heads can be infinitely positioned in 180-degree arcs for optimum air movement; the greater the angles of the motors to the horizontal support rods (up or down), the faster the axial rotation. A slow, controlled axial rotation is achieved by both motor head position and fan blade speed.

- Matthews rotational fans circulate heat and air conditioning more efficiently than traditional paddle fans.
- Constructed of cast aluminum, heavy spun and stamped steel, the Duplo carries a limited lifetime warranty.
- Each unique motor mount and fan head knob is made of genuine marbled Bakelite.
- The Duplo is available with the following blade options:
 - metal blades with decorative metal blade guards
 - solid, ecologically harvested Brazilian mahogany blades without blade guards
 - metal blades with metal safety cages for use in low ceiling applications (7 ft in US / 8.2 ft in Canada)

Standard Finishes

 black	 bronze (plate)	 bronzette (powdercoat)
 brushed nickel	 polished chrome	 polished copper

 brushed brass	 black nickel
 brushed copper	 polished brass
 white	

 light blue	 dark blue	 light purple	 yellow
 light green	 dark green	 orange	 red

Special Order Finishes


MATTHEWS

FAN COMPANY



Duplo-Dinamico

weight: 19 lbs
voltage: 110*



Mahogany Blades 36" wood blades / 39" metal blades Metal Blades

Increasing Angles of Fan Heads to Support Poles Increases Speed of Axial Rotation
Optimum Fan Head Position is 60°

CFM: 3217
(Wood Blades)



619.232.6064 | sales@urbanlighting.net | 301 4th Avenue | San Diego, CA 92101



CFM: 3201
(Metal Blades)

Standard Equipment:

- Lutron decora-style SFS-5E fully variable wall switch in white
- 10" downrod. 5", 20", 30", 48" or 72" downrods available. Downrods can be easily field cut; they are not threaded.
- Flat ceiling canopy. Compatible with vaulted ceiling canopy.

Metal bladed fans with protective powder or clear coatings are suitable for Damp Location.

Safety cages available for low ceiling applications.

*Please contact us for 220V conversions

**Damp location with powder or clear coat only. Not recommended for salt water/ocean front applications.



**Damp Location