


m o o o i[®]



Coppélia Small

by Arihiro Miyake

With a graceful sense of wonder, a beautiful mechanical doll appears to magically come to life in the famous ballet Coppelia. In the performance the ballerina traces, with sinuous movements, a delicate after-image in the air, which inspires the fluid motion in the design of Miyake's Coppelia Suspended Lamp.

Designer	Arihiro Miyake
Year of design	2016
Material	Electrolytic polished stainless steel frame, poly carbonate shades and suspension bracket.



Colours

Electrolytic polish (Chromed)

Technical (ce)

**Amount of LED's:**

36 LED Tubes

Colour temperature (degrees Kelvin, K) Colour rendering index:

2700K (warm white, comparable to incandescent) CRI_Ra > 80

Luminous flux (Lumen, lm):

400 lm

Power consumption

MAX 33W

Dimmable

Mains dimmable, with recommended dimmer only.

Cable Length

4M (10M on request)

Cable Colour

Transparent with metal core

Canopy

Cylinder electrolytic polished

Recommended dimmers (ce)

Dimmers below (make & type) have proven to show a fluent dimming behaviour with *CE version*:

GIRA 226200 (replaces 030600) R,L

JUNG 244HEX20-500 R,L

INSTA 51180 R,L

PEHA 435 HAN R,L

Cooper control iLight system source controllers: SCI0410, SCI0805, SCI1210, SCI1220

Lutron LQSA-4A-D & QSNE-4A-D

IMPORTANT! The use of a non-recommended dimmer can lead to unexpected dimming behavior and even non-repairable damage of the fixture and/or driver.

Technical (ul)

m o o o i[®]

**Amount of LED's:**

36 LED Tubes

Colour temperature (degrees Kelvin, K) Colour rendering index:

2700K / CRI 90

Luminous flux (Lumen, lm):

400 lm

Power consumption

MAX 20W

Dimmable

Mains dimmable, with recommended dimmer only.

Cable Length

13,12 ft

Cable Colour

Transparent with metal core

Canopy

Cylinder electrolytic polished

Recommended dimmers (ul)

Dimmers below (make & type) have proven to show a fluent dimming behaviour with cULus version:

Lutron CT-603PGH-WH

Lutron DIVA DV-603PG

Lutron DV-600P

Lutron CTCL-153 PD


Lutron LQSA-4A-D & QSNE-4A-D

IMPORTANT! The use of a non-recommended dimmer can lead to unexpected dimming behavior and even non-repairable damage of the fixture and/or driver.

Coppelia Small Dimensions

m o o o i[®]

68cm | 26.7"



packaging

H 50 cm | 19,7"

W 79 cm | 31,1"

D 79 cm | 31,1"

Colli 1/1

Product weight:

7,5 KG | 16,5 lb

With packaging:

9 KG | 19,8 lb

**Large version: 39.8"diam/54 led tubes/2700K/90CRI/600lmns/ dimmable,
Please Contact Urban Lighting Inc for additional details.**
